according to Regulation (EC) No 1907/2006

VELIND Teerentferner 51

Revision date: 16.08.2021	Product code: 26	65 Page 1 of 7
SECTION 1: Identification of th	ne substance/mixture and of the co	mpany/undertaking
1.1. Product identifier		
VELIND Teerentferner 5L		
UFI:	8TC7-107D-G00S-QCMK	
1.2. Relevant identified uses of th	e substance or mixture and uses advis	ed against
Use of the substance/mixture		
Automotive Care (spray, liqu	uid)	
Uses advised against		
-	se(Usage) exclusively according to labell	ed intended purpose!
1.3. Details of the supplier of the		
Company name:	VELIND Aerosol GmbH	
Street:	Passower Chaussee 111	
Place:	D-16303 Schwedt/O	
Telephone:	+49 33 32 / 4 50 88 - 0	Telefax: +49 33 32 / 4 50 88 - 30
	info@velind.de	
e-mail:		
e-mail: Contact person:	Wallbaum	Telephone: 11
	5	Telephone: 11
Contact person:	Wallbaum	Telephone: 11
Contact person: e-mail:	Wallbaum qs@velind.de	Telephone: 11
Contact person: e-mail: Internet:	Wallbaum qs@velind.de www.velind.de QS	Telephone: 11 pommern, Sachsen, Sachsen-Anhalt und
Contact person: e-mail: Internet: Responsible Department:	Wallbaum qs@velind.de www.velind.de QS	
Contact person: e-mail: Internet: Responsible Department: 1.4. Emergency telephone	Wallbaum qs@velind.de www.velind.de QS GGIZ der Länder Mecklenburg-Vor	
Contact person: e-mail: Internet: Responsible Department: 1.4. Emergency telephone number:	Wallbaum qs@velind.de www.velind.de QS GGIZ der Länder Mecklenburg-Vor Thüringen: +49 3 61 / 7 30 73 -0	

# 2.1. Classification of the substance or mixture

## Regulation (EC) No. 1272/2008

Hazard categories: Flammable liquid: Flam. Liq. 2 Aspiration hazard: Asp. Tox. 1 Hazardous to the aquatic environment: Aquatic Chronic 3 Hazard Statements: Highly flammable liquid and vapour. May be fatal if swallowed and enters airways. Harmful to aquatic life with long lasting effects.

# 2.2. Label elements

# Regulation (EC) No. 1272/2008

## Hazard components for labelling

Hydrocarbons, C10-14, n-alkanes, isoalkanes, <2% aromatic naphtha (petroleum), hydrotreated heavy Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane

# Signal word:

Pictograms:





according to Regulation (EC) No 1907/2006

# **VELIND Teerentferner 5L**

Revision date: 16.08.2021

Product code: 2665

Page 2 of 13

# Hazard statements

nazara otatomont	5
H225	Highly flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H412	Harmful to aquatic life with long lasting effects.
Precautionary sta	tements
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P273	Avoid release to the environment.

P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P331	Do NOT induce vomiting.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of the Contents/container of waste according to with local/national regulations
	applicable legislation.

# Special labelling of certain mixtures

EUH066 Repeated exposure may cause skin dryness or cracking.

Labelling of packages where the contents do not exceed 125 ml

Signal word: Pictograms:



# Hazard statements

H304-H412

## **Precautionary statements**

P101-P102-P301+P310-P331-P501

# 2.3. Other hazards

In use, may form flammable/explosive vapour-air mixture. Inhalation causes narcotic effects/intoxication.

# **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures

#### Hazardous components

CAS No	Chemical name	Quantity				
	EC No	Index No	REACH No			
	GHS Classification					
93924-07-3	Hydrocarbons, C10-14, n-	alkanes, isoalkanes, <2% aromatio	;	65 - < 70 %		
	300-199-7		01-2119458951-30			
	Asp. Tox. 1; H304 EUH066	Asp. Tox. 1; H304 EUH066				
64742-48-9	naphtha (petroleum), hydr	25 - < 30 %				
	918-481-9	649-327-00-6	01-2119457273-39			
	Asp. Tox. 1; H304 EUH066					
64742-49-0	Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane			1 - < 5 %		
	921-024-6	649-328-00-1	01-2119475514-35			
	Flam. Liq. 2, Skin Irrit. 2, S H411 EUH066					

Full text of H and EUH statements: see section 16.

according to Regulation (EC) No 1907/2006

# **VELIND Teerentferner 5L**

Revision date: 16.08.2021

Product code: 2665

Page 3 of 13

## Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc.	Limits, M-factors and ATE	
93924-07-3	300-199-7	Hydrocarbons, C10-14, n-alkanes, isoalkanes, <2% aromatic	65 - < 70 %
	dermal: LD50	= >2000 mg/kg; oral: LD50 = >2000 mg/kg	
64742-48-9	918-481-9	naphtha (petroleum), hydrotreated heavy	25 - < 30 %
	inhalation: LC mg/kg	50 = >5000 mg/l (vapours); dermal: LD50 = >2000 mg/kg; oral: LD50 = >2000	
64742-49-0	921-024-6	Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane	1 - < 5 %
	inhalation: LC	50 = >20 mg/l (vapours); dermal: LD50 = >2000 mg/kg; oral: LD50 = >2000 mg/kg	

#### Labelling for contents according to Regulation (EC) No 648/2004

>= 30 % aliphatic hydrocarbons.

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

#### **General information**

Remove contaminated, saturated clothing immediately. First aider: Pay attention to self-protection! Move victim out of danger zone.

#### After inhalation

Provide fresh air. Move victim out of danger zone. In all cases of doubt, or when symptoms persist, seek medical advice.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap.

#### After contact with eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

### After ingestion

Rinse mouth thoroughly with water. Do NOT induce vomiting. Call a physician immediately.

## 4.2. Most important symptoms and effects, both acute and delayed

The following symptoms may occur::

Intoxication. unconsciousness. Headache. drowsiness. vomiting. Dizziness.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. This information is not available.

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

alcohol resistant foam. Carbon dioxide (CO2). Water spray. dry extinguishing powder. Water fog. Co-ordinate fire-fighting measures to the fire surroundings.

### Unsuitable extinguishing media

High power water jet.

# 5.2. Special hazards arising from the substance or mixture

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop. Vapours are heavier than air and will spread at floor level. Beware of reignition. Special exposure hazards arising from the substance itself, combustion products, resulting gases: Carbon monoxide Carbon dioxide.

# 5.3. Advice for firefighters

Special protective equipment for firefighters In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to

according to Regulation (EC) No 1907/2006

# **VELIND Teerentferner 5L**

Revision date: 16.08.2021

Product code: 2665

Page 4 of 13

protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Remove according to the regulations.

### SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### **General measures**

Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Provide adequate ventilation. Wear personal protection equipment. Keep away from sources of ignition - No smoking.

#### 6.2. Environmental precautions

Provide fresh air. Retain contaminated washing water and dispose it. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

#### 6.3. Methods and material for containment and cleaning up

### Other information

Ventilate affected area. Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Collect in closed containers for disposal.

### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

See protective measures under point 7 and 8.

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

When using do not eat, drink, smoke, sniff. Keep out of the reach of children. Read label before use. Observe in addition any national regulations!

#### Advice on protection against fire and explosion

Protect from sunlight. Store in a well-ventilated place. Keep only in the original container in a cool, well-ventilated place.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep in a cool, well-ventilated place. Maximum storage temperature: 50°C Further information concerning storage conditions: The floor should be leak tight, jointless and not absorbent. Ensure adequate ventilation of the storage area.

## Hints on joint storage

Keep away from: Oxidizing agents. strong alkalis. Strong acid.

### Further information on storage conditions

Fire class: B

#### 7.3. Specific end use(s)

Automotive Care (spray, liquid)

**VELIND Teerentferner 5L** 

Revision date: 16.08.2021

Product code: 2665

Page 5 of 13

# **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

# **DNEL/DMEL** values

CAS No	Substance					
DNEL type		Exposure route	Effect	Value		
93924-07-3	Hydrocarbons, C10-14, n-alkanes, isoalkanes, <2% aror	natic				
Worker DNEL,	acute	dermal	systemic	N/A		
Worker DNEL,	acute	inhalation	systemic	N/A		
Worker DNEL,	acute	dermal	local	N/A		
Worker DNEL,	acute	inhalation	local	N/A		
Worker DNEL,	long-term	dermal	systemic	N/A		
Worker DNEL,	long-term	inhalation	systemic	N/A		
Worker DNEL,	long-term	dermal	local	N/A		
Worker DNEL,	long-term	inhalation	local	N/A		
Consumer DN	EL, acute	dermal	systemic	N/A		
Consumer DN	EL, acute	inhalation	systemic	N/A		
Consumer DN	EL, acute	oral	systemic	N/A		
Consumer DN	EL, acute	dermal	local	N/A		
Consumer DN	EL, acute	inhalation	local	N/A		
Consumer DN	EL, long-term	dermal	systemic	N/A		
Consumer DN	EL, long-term	inhalation	systemic	N/A		
Consumer DN	EL, long-term	oral	systemic	N/A		
Consumer DN	EL, long-term	dermal	local	N/A		
Consumer DN	EL, long-term	inhalation	local	N/A		
64742-49-0	Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5	5% n-hexane				
Consumer DN	EL, long-term	oral	systemic	699 mg/kg bw/day		
Consumer DN	EL, long-term	dermal	systemic	699 mg/kg bw/day		
Worker DNEL,	long-term	dermal	systemic	773 mg/kg bw/day		
Consumer DN	EL, long-term	inhalation	systemic	609 mg/m³		
Worker DNEL,	long-term	inhalation	systemic	2035 mg/m <sup>3</sup>		

**PNEC** values

CAS No	Substance				
Environmental	Environmental compartment Value				
93924-07-3 Hydrocarbons, C10-14, n-alkanes, isoalkanes, <2% aromatic					
Freshwater see	Freshwater sediment N/A				
Marine sediment N/A					
Micro-organisms in sewage treatment plants (STP)					
Soil	N/A				

## Additional advice on limit values

Take precautionary measures against static discharges.

# 8.2. Exposure controls

according to Regulation (EC) No 1907/2006

# **VELIND Teerentferner 5L**

Product code: 2665

Page 6 of 13

# Revision date: 16.08.2021











## Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations. Exposure controls / Personal protection equipment

## Protective and hygiene measures

When using do not eat, drink, smoke, sniff. Personal protection equipment. Contaminated work clothing should not be allowed out of the workplace. Technical ventilation of workplace.

## Eye/face protection

With correct and proper use, and under normal conditions, not required. Recommendation: Wear eve/face protection.

## Hand protection

Tested protective gloves are to be worn: The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Suitable material: NBR (Nitrile rubber). Butyl rubber. Observe Glove plan!

Thickness of glove material: 0,7mm

Breakthrough times and swelling properties of the material must be taken into consideration.

Protect skin by using skin protective cream. Observe skin protection programme.

Apply skin care products after work.

## Skin protection

With correct and proper use, and under normal conditions, not required.

Wear personal protection equipment.

# **Respiratory protection**

With correct and proper use, and under normal conditions, breathing protection is not required. Respiratory protection necessary at: exceeding exposure limit values. Filtering device (full mask or mouthpiece) with filter: A-P2

### **Environmental exposure controls**

No information available.

# **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state:	liquid	
Colour:	yellow	
Odour:	characteristic	
pH-Value:		not applicable
Changes in the physical state		
Melting point:		not determined
Boiling point or initial boiling point and boiling range:		>80 °C
Flash point:		<b>3° 0</b> >
<b>Flammability</b> Solid/liquid: Gas:		not applicable not applicable
Even la siva una una utila s		

#### Explosive properties

The product is not: Explosive. not explosive. In use, may form flammable/explosive vapour-air mixture.



# according to Regulation (EC) No 1907/2006

VELIND Teerentferner 5L					
Revision date: 16.08.2021	Product code: 2665	Page 7 of 1			
Lower explosion limits:	0,5 vol. %				
Upper explosion limits:	7 vol. %				
Auto-ignition temperature:	not determined				
<b>Self-ignition temperature</b> Solid: Gas:	not applicable not applicable				
Decomposition temperature:	not determined				
<b>Oxidizing properties</b> The product is not: oxidising.					
Vapour pressure: (at 20 °C)	not determined				
Vapour pressure:	not determined				
Density:	0,76 g/cm³				
Bulk density:	not applicable				
Water solubility:	The study does not need to be conducted because the substance is known to be insoluble in water.				
Solubility in other solvents not determined					
Partition coefficient n-octanol/water:	not determined				
Relative vapour density:	not determined				
Evaporation rate:	not determined				
.2. Other information					
Solid content:	not determined				

# 10.1. Reactivity

Mixture not tested. There are no data available on the preparation/mixture itself.

#### 10.2. Chemical stability

Stable with proper storage and handling.

# 10.3. Possibility of hazardous reactions

No decomposition if used as intended

## 10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air. Refer to chapter 7.

Take precautionary measures against static discharges.

# 10.5. Incompatible materials

Refer to chapter 7. Materials to avoid: Oxidizing agents.

# 10.6. Hazardous decomposition products

Refer to chapter 5. No decomposition if used as intended In case of fire may be liberated: Carbon monoxide. Carbon dioxide. Thermal decomposition can lead to the escape of irritating gases and vapours.

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

# according to Regulation (EC) No 1907/2006

# **VELIND Teerentferner 5L**

Revision date: 16.08.2021

Product code: 2665

Page 8 of 13

#### Toxicocinetics, metabolism and distribution

Mixture not tested. There are no data available on the preparation/mixture itself.

#### Acute toxicity

Based on available data, the classification criteria are not met.

There are no data available on the mixture itself.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
93924-07-3	Hydrocarbons, C10-14, r	- alkanes, isoalkanes	, <2% aromatic		
	oral	LD50 >2000 mg/kg	Rat	Data obtained by analogy conclusion	OECD 401
	dermal	LD50 >2000 mg/kg	Rat	Data obtained by analogy conclusion	OECD 402
64742-48-9	naphtha (petroleum), hyc	Irotreated heavy			
	oral	LD50 >2000 mg/kg	Rat		OECD 401
	dermal	LD50 >2000 mg/kg	Rabbit		OECD 402
	inhalation (4 h) vapour	LC50 >5000 mg/l	Rat		OECD 403
64742-49-0	Hydrocarbons, C6-C7, n-	alkanes, isoalkanes,	cyclics, <5% n-hexane		
	oral	LD50 >2000 mg/kg	Rat		
	dermal	LD50 >2000 mg/kg	Rabbit		
	inhalation (4 h) vapour	LC50 >20 mg	g/l Rat		

#### Irritation and corrosivity

Based on available data, the classification criteria are not met. There are no data available on the mixture itself.

#### Sensitising effects

Based on available data, the classification criteria are not met. There are no data available on the mixture itself.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met. There are no data available on the mixture itself.

### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Repeated exposure may cause skin dryness or cracking.

There are no data available on the mixture itself.

## Aspiration hazard

May be fatal if swallowed and enters airways.

### Specific effects in experiment on an animal

There are no data available on the mixture itself.

## Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP]. Special hazards arising from the substance or mixture! There are no data available on the mixture itself. No data available

## **Practical experience**

The evaluation based on subjective human observations: May cause drowsiness or dizziness. Headache.



according to Regulation (EC) No 1907/2006

# **VELIND Teerentferner 5L**

Revision date: 16.08.2021

Product code: 2665

Page 9 of 13

#### **Further information**

Mixture not tested. There are no data available on the preparation/mixture itself.

# **SECTION 12: Ecological information**

### 12.1. Toxicity

Harmful to aquatic life with long lasting effects. Mixture not tested. There are no data available on the preparation/mixture itself.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
93924-07-3	Hydrocarbons, C10-14, n	-alkanes, isc	oalkanes, <2º	% aroma	tic		
	Acute fish toxicity	LC50 mg/l	>100		Oncorhynchus mykiss (Rainbow trout)	By analogy.	OECD 203
	Acute algae toxicity	ErC50 mg/l	>100		Pseudokirchneriella subcapitata	By analogy.	OECD 201
	Acute crustacea toxicity	EC50 mg/l	>100	48 h	Daphnia magna	By analogy.	OECD 202
	Crustacea toxicity	NOEC mg/l	> 1 - 10	21 d	Daphnia magna	By analogy.	OECD 211
64742-48-9	naphtha (petroleum), hydrotreated heavy						
	Acute fish toxicity	LC50 mg/l	>100		Oncorhynchus mykiss (Rainbow trout)		
	Acute algae toxicity	ErC50 mg/l	>100		Pseudokirchneriella subcapitata		
	Acute crustacea toxicity	EC50 mg/l	>100	48 h	Daphnia magna		
64742-49-0	Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane						
	Acute fish toxicity	LC50	>1 mg/l		Oncorhynchus mykiss (Rainbow trout)		
	Acute algae toxicity	ErC50	>1 mg/l		Pseudokirchneriella subcapitata		
	Acute crustacea toxicity	EC50	>1 mg/l	48 h	Daphnia magna		

## 12.2. Persistence and degradability

The product has not been tested. No data available

CAS No	Chemical name						
	Method Value d Source						
	Evaluation						
93924-07-3	Hydrocarbons, C10-14, n-alkanes, isoalkanes, <2% aromatic						
	OECD 301F	>60%	28				

# 12.3. Bioaccumulative potential

No data available

#### 12.4. Mobility in soil

No data available

# 12.5. Results of PBT and vPvB assessment

No data available

### 12.7. Other adverse effects

No data available

## **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Mixture not tested. There are no data available on the preparation/mixture itself.

# **VELIND Teerentferner 5L**

Revision date: 16.08.2021

Product code: 2665

Page 10 of 13

# **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

# **Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation. The waste codes are recommendations based on the scheduled use of this products. Owing to the user's specific conditions for use and disposal, other waste codes may be allocated under certain circumstances. (2001/118/EC, 2001/119/EC, 2001/573/EC)

According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

#### List of Wastes Code - used product

070104 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the manufacture, formulation, supply and use (MFSU) of basic organic chemicals; other organic solvents, washing liquids and mother liquors; hazardous waste

#### List of Wastes Code - contaminated packaging

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); plastic packaging

#### Contaminated packaging

Hazardous waste according to Directive 2008/98/EC (waste framework directive). Handle contaminated packages in the same way as the substance itself. Recommendation: Dispose of waste according to applicable legislation. E.g. Dispose of contents/container to industrial incineration plant. Or: Dispose of this material and its container to hazardous or special waste collection point.

Do not empty into drains.

# **SECTION 14: Transport information**

Land transport (ADR/RID)	
<u>14.1. UN number:</u>	UN 1993
14.2. UN proper shipping name:	FLAMMABLE LIQUID, N.O.S.
14.3. Transport hazard class(es):	3
14.4. Packing group:	II
Hazard label:	3
Classification code:	F1
Special Provisions:	274 601 640D
Limited quantity:	1 L
Excepted quantity:	E2
Transport category:	2
Hazard No:	33
Tunnel restriction code:	D/E
Inland waterways transport (ADN)	
<u>14.1. UN number:</u>	UN 1993
14.2. UN proper shipping name:	FLAMMABLE LIQUID, N.O.S.
14.3. Transport hazard class(es):	3
14.4. Packing group:	II
Hazard label:	3

	VELIND Teerentferner 5L	
Revision date: 16.08.2021	Product code: 2665 Page 1	1 of 13
	3	
Classification code:	F1	
Special Provisions:	274 601 640D 1 L	
Limited quantity: Excepted quantity:	E2	
Marine transport (IMDG)		
<u>14.1. UN number:</u>	UN 1993	
14.2. UN proper shipping name:	FLAMMABLE LIQUID, N.O.S.	
14.3. Transport hazard class(es):	3	
14.4. Packing group:	Ш	
Hazard label:	3	
	3	
Special Provisions:	274	
Limited quantity:	1L	
Excepted quantity: EmS:	E2 F-E, S-E	
Air transport (ICAO-TI/IATA-DGR)		
14.2. UN proper shipping name:	Not classified for this transport carrier.	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	Νο	
	INC .	
14.6. Special precautions for user Warning: Combustible liquid.		
14.7. Maritime transport in bulk according	g to IMO instruments	
No data available		
SECTION 45: Degulatory information		
SECTION 15: Regulatory information		
15.1. Safety, health and environmental reg	gulations/legislation specific for the substance or mixture	
EU regulatory information		
Restrictions on use (REACH, annex XV	II):	
Entry 3		
Information according to 2012/18/EU (SEVESO III):	P5c FLAMMABLE LIQUIDS	
National regulatory information		
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).	
Water hazard class (D): Additional information	1 - slightly hazardous to water	
Keep lamps filled with this liquid out lamps may lead to life-threatening lu	of the reach of children. Just a sip of lamp oil or even sucking the wick of ing damage.	
15.2. Chemical safety assessment		
Chemical safety assessments for su	ibstances in this mixture were not carried out.	

# **SECTION 16: Other information**

# **VELIND Teerentferner 5L**

Revision date: 16.08.2021

Product code: 2665

Page 12 of 13

## Changes

This data sheet contains changes from the previous version in section(s): 2,3,4,5,6,7,8,9,10,12,13,14,15,16.

- These details refer to the products as it is delivered.
- Follow the instructions for use on the label.
- \* Data changed compared with the previous version

## Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50% CLP: Classification, labelling and Packaging REACH: Registration, Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals UN: United Nations DNEL: Derived No Effect Level DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) EmS: Emergency Schedules MFAG: Medical First Aid Guide ICAO: International Civil Aviation Organization MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container VOC: Volatile Organic Compounds SVHC: Substance of Very High Concern For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

## Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Flam. Liq. 2; H225	On basis of test data
Asp. Tox. 1; H304	Calculation method
Aquatic Chronic 3; H412	Calculation method

### Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.

# according to Regulation (EC) No 1907/2006

# **VELIND Teerentferner 5L**

	Revision date: 16.08.2021	Product code: 2665	Page 13 of 13
H336 May cause drowsiness or dizziness.			
	H411	Toxic to aquatic life with long lasting effects.	
	H412	Harmful to aquatic life with long lasting effects.	
	EUH066	Repeated exposure may cause skin dryness or cracking.	

### **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)