

## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# **VELIND Glasreiniger 5L**

Revision date: 10.06.2021 Product code: 213625 Page 1 of 13

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

VELIND Glasreiniger 5L

UFI: F15W-81CP-400M-J3UU

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

SURFACE CLEANERS (liquid, powder, gel neat, spray neat) for consumer use

#### Uses advised against

No information available. Use(Usage) exclusively according to labelled intended purpose!

### 1.3. Details of the supplier of the safety data sheet

Company name: VELIND Aerosol GmbH
Street: Passower Chaussee 111
Place: D-16303 Schwedt/O

Telephone: +49 33 32 / 4 50 88 - 0 Telefax: +49 33 32 / 4 50 88 - 30

e-mail: info@velind.de

Contact person: Wallbaum Telephone: 11

e-mail: qs@velind.de Internet: www.velind.de

Responsible Department: QS

1.4. Emergency telephone GGIZ der Länder Mecklenburg-Vorpommern, Sachsen, Sachsen-Anhalt und

<u>number:</u> Thüringen: +49 3 61 / 7 30 73 -0

#### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

## Regulation (EC) No. 1272/2008

Hazard categories:

Flammable liquid: Flam. Liq. 3

Hazard Statements:

Flammable liquid and vapour.

### 2.2. Label elements

## Regulation (EC) No. 1272/2008

Signal word: Warning

Pictograms:



## **Hazard statements**

H226 Flammable liquid and vapour.

# **Precautionary statements**

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of the Contents/container of waste according to with local/national regulations

applicable legislation.



according to Regulation (EC) No 1907/2006

# **VELIND Glasreiniger 5L**

Revision date: 10.06.2021 Product code: 213625 Page 2 of 13

## Special labelling of certain mixtures

Contains formaldehyde.

Labelling of packages where the contents do not exceed 125 ml

Signal word: Warning

Pictograms:



## 2.3. Other hazards

In use, may form flammable/explosive vapour-air mixture. Inhalation causes narcotic effects/intoxication.

## **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

### **Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
64-17-5	ethanol, ethyl alcohol			5 - < 10 %
	200-578-6	603-002-00-5	01-2119457610-43	
	Flam. Liq. 2, Eye Irrit. 2; H225 H319 EUH066			
5131-66-8	3-butoxypropan-2-ol			1 - < 5 %
	225-878-4	603-052-00-8	01-2119475527-28	
	Flam. Liq. 3, Skin Irrit. 2, Eye Irrit. 2	2; H226 H315 H319		
78-93-3	Butanone			< 0.1 %
	201-159-0	606-002-00-3	01-2119457290-43	
	Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336 EUH066			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

оросино ос	iio. Eiiiiito, iii ia	0.0.0 4.14 / 1.2			
CAS No	EC No	Chemical name			
	Specific Conc.	Limits, M-factors and ATE			
64-17-5	200-578-6	ethanol, ethyl alcohol	5 - < 10 %		
	1	50 = >20 mg/l (vapours); dermal: LD50 = >2000 mg/kg; oral: LD50 = >2000 mg/kg 19: >= 50 - 100			
5131-66-8	225-878-4	3-butoxypropan-2-ol	1 - < 5 %		
	dermal: LD50 = >2000 mg/kg; oral: LD50 = >2000 mg/kg				
78-93-3	201-159-0	Butanone	< 0.1 %		
	dermal: LD50	= >2000 mg/kg; oral: LD50 = >2000 mg/kg			

### Labelling for contents according to Regulation (EC) No 648/2004

perfumes.

## **Further Information**

In use, may form flammable/explosive vapour-air mixture. Inhalation causes narcotic effects/intoxication.

# **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

### **General information**

Remove contaminated, saturated clothing immediately. First aider: Pay attention to self-protection! Move victim



## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## **VELIND Glasreiniger 5L**

Revision date: 10.06.2021 Product code: 213625 Page 3 of 13

out of danger zone.

#### After inhalation

Provide fresh air. Move victim out of danger zone. In all cases of doubt, or when symptoms persist, seek medical advice.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap.

#### After contact with eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

## After ingestion

Rinse mouth thoroughly with water. Do NOT induce vomiting. Call a physician immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

The following symptoms may occur::

Intoxication. unconsciousness. Headache. drowsiness. vomiting. Dizziness.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. This information is not available.

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

### Suitable extinguishing media

alcohol resistant foam. Carbon dioxide (CO2). Water spray. dry extinguishing powder. Water fog. Co-ordinate fire-fighting measures to the fire surroundings.

## Unsuitable extinguishing media

High power water jet.

#### 5.2. Special hazards arising from the substance or mixture

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop. Vapours are heavier than air and will spread at floor level. Beware of reignition. Special exposure hazards arising from the substance itself, combustion products, resulting gases: Carbon monoxide Carbon dioxide.

## 5.3. Advice for firefighters

Special protective equipment for firefighters In case of fire: Wear self-contained breathing apparatus.

### Additional information

Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Remove according to the regulations.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

#### General measures

Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Provide adequate ventilation. Wear personal protection equipment. Keep away from sources of ignition - No smoking.

#### 6.2. Environmental precautions

Provide fresh air. Retain contaminated washing water and dispose it. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

### 6.3. Methods and material for containment and cleaning up

## Other information

Ventilate affected area. Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Collect in closed containers for disposal.

### 6.4. Reference to other sections

Safe handling: see section 7



according to Regulation (EC) No 1907/2006

## **VELIND Glasreiniger 5L**

Revision date: 10.06.2021 Product code: 213625 Page 4 of 13

Personal protection equipment: see section 8

Disposal: see section 13

See protective measures under point 7 and 8.

# **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

### Advice on safe handling

When using do not eat, drink, smoke, sniff. Keep out of the reach of children. Read label before use. Observe in addition any national regulations!

## Advice on protection against fire and explosion

Protect from sunlight. Store in a well-ventilated place. Keep only in the original container in a cool, well-ventilated place.

### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep in a cool, well-ventilated place. Maximum storage temperature: 50°C Further information concerning storage conditions: The floor should be leak tight, jointless and not absorbent. Ensure adequate ventilation of the storage area.

## Hints on joint storage

Keep away from: Oxidizing agents. strong alkalis. Strong acid.

# Further information on storage conditions

Fire class: B

## 7.3. Specific end use(s)

SURFACE CLEANERS (liquid, powder, gel neat, spray neat) for consumer use

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
78-93-3	Butan-2-one (methyl ethyl ketone)	200	600		TWA (8 h)	WEL
		300	899		STEL (15 min)	WEL
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
		500	1250		STEL (15 min)	WEL

### **Biological Monitoring Guidance Values (EH40)**

CAS No	Substance	Parameter	Value	Test material	Sampling time
78-93-3	Butan-2-one	butan-2-one	70 µmol/L	urine	Post shift



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# **VELIND Glasreiniger 5L**

Revision date: 10.06.2021 Product code: 213625 Page 5 of 13

## **DNEL/DMEL values**

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
64-17-5	ethanol, ethyl alcohol			
Worker DNEL,	acute	inhalation	local	1900 mg/m³
Worker DNEL,	long-term	inhalation	systemic	950 mg/m³
Worker DNEL,	long-term	dermal	systemic	343 mg/kg bw/day
Consumer DN	EL, acute	inhalation	local	950 mg/m³
Consumer DN	EL, long-term	inhalation	systemic	114 mg/m³
Consumer DN	EL, long-term	oral	systemic	87 mg/kg bw/day
Consumer DN	EL, long-term	dermal	systemic	206 mg/kg bw/day
5131-66-8	3-butoxypropan-2-ol			
Worker DNEL,	long-term	dermal	systemic	44
Worker DNEL,	long-term	inhalation	systemic	270
Worker DNEL,	long-term	dermal	local	50%
Worker DNEL,	acute	dermal	local	50%
Worker DNEL,	acute	inhalation	local	50%
Consumer DNI	EL, acute	dermal	local	50%
Consumer DNI	EL, long-term	dermal	local	50%
Consumer DN	EL, long-term	dermal	systemic	16 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	33,8 mg/m³
Consumer DN	EL, long-term	oral	systemic	8,75 mg/kg bw/day
,				
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol			
Consumer DN	EL, long-term	oral	systemic	26 mg/kg bw/day
Worker DNEL, long-term		dermal	systemic	888 mg/kg bw/day
Consumer DNEL, long-term		dermal	systemic	319 mg/kg bw/day
Worker DNEL,	long-term	inhalation	systemic	500 mg/m³
Consumer DN	EL, long-term	inhalation	systemic	89 mg/m³



according to Regulation (EC) No 1907/2006

# **VELIND Glasreiniger 5L**

Revision date: 10.06.2021 Product code: 213625 Page 6 of 13

#### **PNEC values**

CAS No	Substance		
Environmental	compartment	Value	
64-17-5	ethanol, ethyl alcohol		
Freshwater	Freshwater		
Marine water		0,79 mg/l	
Freshwater se	liment	3,6 mg/l	
Marine sedime	nt	2,9 mg/l	
Micro-organisn	ns in sewage treatment plants (STP)	580 mg/l	
Soil	Soil		
5131-66-8	3-butoxypropan-2-ol		
Freshwater		0,525 mg/l	
Marine water		0,0525 mg/l	
Freshwater se	liment	2,36 mg/kg	
Marine sedime	nt	0,236 mg/kg	
Soil		0,16 mg/kg	
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol		
Freshwater		140,9 mg/l	
Marine water		140,9 mg/l	
Freshwater sediment		552 mg/kg	
Marine sediment		552 mg/kg	
Micro-organisn	s in sewage treatment plants (STP)	2251 mg/l	
Soil		28 mg/kg	

#### Additional advice on limit values

Take precautionary measures against static discharges.

# 8.2. Exposure controls









### Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations. Exposure controls / Personal protection equipment

## Protective and hygiene measures

When using do not eat, drink, smoke, sniff. Personal protection equipment. Contaminated work clothing should not be allowed out of the workplace. Technical ventilation of workplace.

#### Eye/face protection

With correct and proper use, and under normal conditions, not required.

Recommendation: Wear eye/face protection.

## **Hand protection**

Tested protective gloves are to be worn: The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Suitable material: NBR (Nitrile rubber). Butyl rubber. Observe Glove plan!



according to Regulation (EC) No 1907/2006

## **VELIND Glasreiniger 5L**

Revision date: 10.06.2021 Product code: 213625 Page 7 of 13

Thickness of glove material: 0,7mm

Breakthrough times and swelling properties of the material must be taken into consideration.

Protect skin by using skin protective cream. Observe skin protection programme.

Apply skin care products after work.

### Skin protection

With correct and proper use, and under normal conditions, not required.

Wear personal protection equipment.

### Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required. Respiratory protection necessary at: exceeding exposure limit values. Filtering device (full mask or mouthpiece) with filter: A-P2

### **Environmental exposure controls**

No information available.

# **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: light blue
Odour: characteristic

pH-Value: 6

Changes in the physical state

Melting point:

Boiling point or initial boiling point and

>78 °C

boiling range:

Flash point: >23 °C

**Flammability** 

Solid/liquid: not applicable
Gas: not applicable

#### **Explosive properties**

The product is not: Explosive. not explosive. In use, may form flammable/explosive vapour-air mixture.

Lower explosion limits: 3,5 vol. % Upper explosion limits: 15 vol. %

Self-ignition temperature

Solid: not applicable
Gas: not applicable

Decomposition temperature: not determined

Oxidizing properties

The product is not: oxidising.

Vapour pressure: not determined

Density: 0,982 g/cm³

Bulk density: not applicable

Water solubility: easily soluble

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Flow time:

Relative vapour density:

not determined

Daten nicht verfügbar0

not determined



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# **VELIND Glasreiniger 5L**

Revision date: 10.06.2021 Product code: 213625 Page 8 of 13

Evaporation rate: not determined

### 9.2. Other information

Solid content: not determined

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Mixture not tested. There are no data available on the preparation/mixture itself.

## 10.2. Chemical stability

Stable with proper storage and handling.

### 10.3. Possibility of hazardous reactions

No decomposition if used as intended

## 10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air. Refer to chapter 7.

Take precautionary measures against static discharges.

### 10.5. Incompatible materials

Refer to chapter 7.

Materials to avoid: Oxidizing agents.

### 10.6. Hazardous decomposition products

Refer to chapter 5.

No decomposition if used as intended

In case of fire may be liberated: Carbon monoxide. Carbon dioxide.

Thermal decomposition can lead to the escape of irritating gases and vapours.

## **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

## Toxicocinetics, metabolism and distribution

Mixture not tested. There are no data available on the preparation/mixture itself.

### **Acute toxicity**

Based on available data, the classification criteria are not met.

There are no data available on the mixture itself.



according to Regulation (EC) No 1907/2006

# **VELIND Glasreiniger 5L**

Revision date: 10.06.2021 Product code: 213625 Page 9 of 13

CAS No	Chemical name	Chemical name				
	Exposure route	Dose		Species	Source	Method
64-17-5	ethanol, ethyl alcohol					
	oral	LD50 mg/kg	>2000	Rat		
	dermal	LD50 mg/kg	>2000	Rabbit		
	inhalation (4 h) vapour	LC50	>20 mg/l	Rat		
5131-66-8	3-butoxypropan-2-ol					
	oral	LD50 mg/kg	>2000	Rat		
	dermal	LD50 mg/kg	>2000	Rat		
78-93-3	Butanone					
	oral	LD50 mg/kg	>2000	Rat		
	dermal	LD50 mg/kg	>2000	Rabbit		

### Irritation and corrosivity

Based on available data, the classification criteria are not met.

There are no data available on the mixture itself.

## Sensitising effects

Based on available data, the classification criteria are not met.

There are no data available on the mixture itself.

### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

There are no data available on the mixture itself.

### STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

There are no data available on the mixture itself.

### **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### Specific effects in experiment on an animal

There are no data available on the mixture itself.

#### Additional information on tests

There are no data available on the mixture itself. No data available

#### **Practical experience**

The evaluation based on subjective human observations: May cause drowsiness or dizziness. Headache.

#### Further information

Mixture not tested. There are no data available on the preparation/mixture itself.

## **SECTION 12: Ecological information**

# 12.1. Toxicity

Mixture not tested. There are no data available on the preparation/mixture itself.



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# **VELIND Glasreiniger 5L**

Revision date: 10.06.2021 Product code: 213625 Page 10 of 13

CAS No	Chemical name	Chemical name					
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
64-17-5	ethanol, ethyl alcohol						
	Acute fish toxicity	LC50 mg/l	>100		Leuciscus idus (golden orfe)		
	Acute algae toxicity	ErC50 mg/l	>100	72 h	Chlorella vulgaris		
	Acute crustacea toxicity	EC50 mg/l	>100	48 h	Daphnia magna		
5131-66-8	3-butoxypropan-2-ol						
	Acute fish toxicity	LC50 mg/l	>100		Poecilia reticulata (Guppy)		
	Acute algae toxicity	ErC50 mg/l	>100	96 h	Pseudokirchneriella subcapitata		
	Acute crustacea toxicity	EC50 mg/l	>100	48 h	Daphnia magna		
78-93-3	Butanone						
	Acute fish toxicity	LC50 mg/l	>100	96 h	Pimephales promelas		
	Acute crustacea toxicity	EC50 mg/l	>100	48 h			

## 12.2. Persistence and degradability

The product has not been tested. No data available

## 12.3. Bioaccumulative potential

No data available

## Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64-17-5	ethanol, ethyl alcohol	-0,32

## BCF

CAS No	Chemical name	BCF	Species	Source
64-17-5	ethanol, ethyl alcohol	0,66		

## 12.4. Mobility in soil

No data available

# 12.5. Results of PBT and vPvB assessment

No data available

# 12.7. Other adverse effects

No data available

### **Further information**

Avoid release to the environment. Mixture not tested. There are no data available on the preparation/mixture itself

# **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

### **Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation. The waste codes are recommendations based on the scheduled use of this products. Owing to the user's specific conditions for use and disposal, other waste codes may be allocated under certain circumstances. (2001/118/EC, 2001/19/EC, 2001/573/EC)



## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# **VELIND Glasreiniger 5L**

Revision date: 10.06.2021 Product code: 213625 Page 11 of 13

According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

## List of Wastes Code - used product

070604 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease.

soaps, detergents, disinfectants and cosmetics; other organic solvents, washing liquids and mother

liquors: hazardous waste

### List of Wastes Code - contaminated packaging

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately

collected municipal packaging waste); plastic packaging

#### Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled. Recommendation: Dispose of waste according to applicable legislation. E.g. Dispose of contents/container to industrial incineration plant. Or: Dispose of this material and its container to hazardous or special waste collection point.

Do not empty into drains.

## **SECTION 14: Transport information**

### Land transport (ADR/RID)

**14.1. UN number:** UN 1987

14.2. UN proper shipping name: ALCOHOLS, N.O.S.

14.3. Transport hazard class(es):314.4. Packing group:IIIHazard label:3



Classification code: F1
Special Provisions: 274 601
Limited quantity: 5 L
Excepted quantity: E1
Transport category: 3
Hazard No: 30
Tunnel restriction code: D/E

## Inland waterways transport (ADN)

**14.1. UN number:** UN 1987

**14.2. UN proper shipping name:** ALCOHOLS, N.O.S.

14.3. Transport hazard class(es):314.4. Packing group:IIIHazard label:3



Classification code: F1
Special Provisions: 274 601
Limited quantity: 5 L
Excepted quantity: E1

Marine transport (IMDG)

**14.1. UN number:** UN 1987

14.2. UN proper shipping name: ALCOHOLS, N.O.S.



according to Regulation (EC) No 1907/2006

# **VELIND Glasreiniger 5L**

Revision date: 10.06.2021 Product code: 213625 Page 12 of 13

14.3. Transport hazard class(es):314.4. Packing group:IIIHazard label:3



Special Provisions: 223, 274
Limited quantity: 5 L
Excepted quantity: E1
EmS: F-E, S-D

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Warning: Combustible liquid.

14.7. Maritime transport in bulk according to IMO instruments

No data available

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3

Information according to 2012/18/EU

P5c FLAMMABLE LIQUIDS

(SEVESO III):

### **Additional information**

Regulation (EC) No. 648/2004 (Detergents regulation). Labelling for contents according to regulation (EC) No.

648/2004, annex 7: Yes.

#### **National regulatory information**

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or

nursing mothers.

Water hazard class (D): 1 - slightly hazardous to water

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## **SECTION 16: Other information**

### Changes

This data sheet contains changes from the previous version in section(s): 2,3,4,5,6,7,8,9,10,14,15,16.

These details refer to the products as it is delivered.

Follow the instructions for use on the label.

\* Data changed compared with the previous version

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals



## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## **VELIND Glasreiniger 5L**

Revision date: 10.06.2021 Product code: 213625 Page 13 of 13

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

**UN: United Nations** 

DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

EmS: Emergency Schedules MFAG: Medical First Aid Guide

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container VOC: Volatile Organic Compounds SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

### Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Flam. Liq. 3; H226	On basis of test data

## Relevant H and EUH statements (number and full text)

H225 Highly flammable liquid and vapour.
 H226 Flammable liquid and vapour.
 H315 Causes skin irritation.
 H319 Causes serious eye irritation.
 H336 May cause drowsiness or dizziness.

EUH066 Repeated exposure may cause skin dryness or cracking.

### **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)