



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### VELIND Defroster Nachfüllflasche

Revision date: 10.06.2021

Product code: 31200

Page 2 of 14

 P403+P235  
P501

 Store in a well-ventilated place. Keep cool.  
Dispose of the Contents/container of waste according to with local/national regulations applicable legislation.

#### Special labelling of certain mixtures

EUH066 Repeated exposure may cause skin dryness or cracking.

#### Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

Pictograms:



#### 2.3. Other hazards

In use, may form flammable/explosive vapour-air mixture. Inhalation causes narcotic effects/intoxication.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

##### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
64-17-5	ethanol, ethyl alcohol			65 - < 70 %
	200-578-6	603-002-00-5	01-2119457610-43	
	Flam. Liq. 2, Eye Irrit. 2; H225 H319 EUH066			
107-21-1	ethanediol, ethylene glycol			5 - < 10 %
	203-473-3	603-027-00-1	01-2119456816-28	
	Acute Tox. 4, STOT RE 2; H302 H373			
78-93-3	Butanone			< 1 %
	201-159-0	606-002-00-3	01-2119457290-43	
	Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336 EUH066			

Full text of H and EUH statements: see section 16.

##### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
64-17-5	200-578-6	ethanol, ethyl alcohol	65 - < 70 %
	inhalation: LC50 = >20 mg/l (vapours); dermal: LD50 = >2000 mg/kg; oral: LD50 = >2000 mg/kg Eye Irrit. 2; H319: >= 50 - 100		
107-21-1	203-473-3	ethanediol, ethylene glycol	5 - < 10 %
	inhalation: LC50 = >2,5 mg/l (dusts or mists); dermal: LD50 = >2000 mg/kg; oral: LD50 = >2000 mg/kg STOT RE 2; H373: >= 10 - 100		
78-93-3	201-159-0	Butanone	< 1 %
	dermal: LD50 = >2000 mg/kg; oral: LD50 = >2000 mg/kg		

##### Further Information

In use, may form flammable/explosive vapour-air mixture. Inhalation causes narcotic effects/intoxication.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### VELIND Defroster Nachfüllflasche

Revision date: 10.06.2021

Product code: 31200

Page 3 of 14

#### General information

Remove contaminated, saturated clothing immediately. First aider: Pay attention to self-protection! Move victim out of danger zone.

#### After inhalation

Provide fresh air. Move victim out of danger zone. In all cases of doubt, or when symptoms persist, seek medical advice.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap.

#### After contact with eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

#### After ingestion

009

#### 4.2. Most important symptoms and effects, both acute and delayed

The following symptoms may occur::

Intoxication. unconsciousness. Headache. drowsiness. vomiting. Dizziness.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. This information is not available.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

##### Suitable extinguishing media

alcohol resistant foam. Carbon dioxide (CO<sub>2</sub>). Water spray. dry extinguishing powder. Water fog.  
Co-ordinate fire-fighting measures to the fire surroundings.

##### Unsuitable extinguishing media

High power water jet.

#### 5.2. Special hazards arising from the substance or mixture

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop. Vapours are heavier than air and will spread at floor level. Beware of reignition. Special exposure hazards arising from the substance itself, combustion products, resulting gases: Carbon monoxide Carbon dioxide.

#### 5.3. Advice for firefighters

Special protective equipment for firefighters In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Remove according to the regulations.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### General measures

Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Provide adequate ventilation. Wear personal protection equipment. Keep away from sources of ignition - No smoking.

#### 6.2. Environmental precautions

Provide fresh air. Retain contaminated washing water and dispose it. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

#### 6.3. Methods and material for containment and cleaning up

##### Other information

Ventilate affected area. Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Collect in closed containers for disposal.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### VELIND Defroster Nachfüllflasche

Revision date: 10.06.2021

Product code: 31200

Page 4 of 14

#### **6.4. Reference to other sections**

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

See protective measures under point 7 and 8.

## **SECTION 7: Handling and storage**

### **7.1. Precautions for safe handling**

#### **Advice on safe handling**

When using do not eat, drink, smoke, sniff. Keep out of the reach of children. Read label before use. Observe in addition any national regulations!

#### **Advice on protection against fire and explosion**

Protect from sunlight. Store in a well-ventilated place. Keep only in the original container in a cool, well-ventilated place.

### **7.2. Conditions for safe storage, including any incompatibilities**

#### **Requirements for storage rooms and vessels**

Keep in a cool, well-ventilated place. Maximum storage temperature: 50°C Further information concerning storage conditions: The floor should be leak tight, jointless and not absorbent. Ensure adequate ventilation of the storage area.

#### **Hints on joint storage**

Keep away from: Oxidizing agents. strong alkalis. Strong acid.

#### **Further information on storage conditions**

Fire class: B

### **7.3. Specific end use(s)**

Anti-freeze and de-icing products

## **SECTION 8: Exposure controls/personal protection**

### **8.1. Control parameters**

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**VELIND Defroster Nachfüllflasche**

Revision date: 10.06.2021

Product code: 31200

Page 5 of 14

**Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
78-93-3	Butan-2-one (methyl ethyl ketone)	200	600		TWA (8 h)	WEL
		300	899		STEL (15 min)	WEL
107-21-1	Ethane-1,2-diol, vapour	20	52		TWA (8 h)	WEL
		40	104		STEL (15 min)	WEL
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
		500	1250		STEL (15 min)	WEL

**Biological Monitoring Guidance Values (EH40)**

CAS No	Substance	Parameter	Value	Test material	Sampling time
78-93-3	Butan-2-one	butan-2-one	70 µmol/L	urine	Post shift

**DNEL/DMEL values**

CAS No	Substance	Exposure route	Effect	Value
64-17-5	ethanol, ethyl alcohol			
	Worker DNEL, acute	inhalation	local	1900 mg/m <sup>3</sup>
	Worker DNEL, long-term	inhalation	systemic	950 mg/m <sup>3</sup>
	Worker DNEL, long-term	dermal	systemic	343 mg/kg bw/day
	Consumer DNEL, acute	inhalation	local	950 mg/m <sup>3</sup>
	Consumer DNEL, long-term	inhalation	systemic	114 mg/m <sup>3</sup>
	Consumer DNEL, long-term	oral	systemic	87 mg/kg bw/day
	Consumer DNEL, long-term	dermal	systemic	206 mg/kg bw/day
107-21-1	ethanediol, ethylene glycol			
	Worker DNEL, long-term	inhalation	local	35 mg/m <sup>3</sup>
	Worker DNEL, long-term	dermal	systemic	106 mg/kg bw/day
	Consumer DNEL, long-term	inhalation	local	7 mg/m <sup>3</sup>
	Consumer DNEL, long-term	dermal	systemic	53 mg/kg bw/day
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol			
	Consumer DNEL, long-term	oral	systemic	26 mg/kg bw/day
	Worker DNEL, long-term	dermal	systemic	888 mg/kg bw/day
	Consumer DNEL, long-term	dermal	systemic	319 mg/kg bw/day
	Worker DNEL, long-term	inhalation	systemic	500 mg/m <sup>3</sup>
	Consumer DNEL, long-term	inhalation	systemic	89 mg/m <sup>3</sup>

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**VELIND Defroster Nachfüllflasche**

Revision date: 10.06.2021

Product code: 31200

Page 6 of 14

**PNEC values**

CAS No	Substance	Value
Environmental compartment		
64-17-5	ethanol, ethyl alcohol	
Freshwater		0,96 mg/l
Marine water		0,79 mg/l
Freshwater sediment		3,6 mg/l
Marine sediment		2,9 mg/l
Micro-organisms in sewage treatment plants (STP)		580 mg/l
Soil		0,63 mg/kg
107-21-1	ethanediol, ethylene glycol	
Freshwater		10 mg/l
Marine water		1 mg/l
Freshwater sediment		20,9 mg/kg
Micro-organisms in sewage treatment plants (STP)		199,5 mg/l
Soil		1,53 mg/kg
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol	
Freshwater		140,9 mg/l
Marine water		140,9 mg/l
Freshwater sediment		552 mg/kg
Marine sediment		552 mg/kg
Micro-organisms in sewage treatment plants (STP)		2251 mg/l
Soil		28 mg/kg

**Additional advice on limit values**

Take precautionary measures against static discharges.

**8.2. Exposure controls**

**Appropriate engineering controls**

Provide adequate ventilation as well as local exhaust at critical locations. Exposure controls / Personal protection equipment

**Protective and hygiene measures**

When using do not eat, drink, smoke, sniff. Personal protection equipment. Contaminated work clothing should not be allowed out of the workplace. Technical ventilation of workplace.

**Eye/face protection**

 With correct and proper use, and under normal conditions, not required.  
 Recommendation: Wear eye/face protection.

**Hand protection**

Tested protective gloves are to be worn: The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

 Suitable material: NBR (Nitrile rubber). Butyl rubber. Observe Glove plan!  
 Thickness of glove material: 0,7mm

**VELIND Defroster Nachfüllflasche**

Revision date: 10.06.2021

Product code: 31200

Page 7 of 14

Breakthrough times and swelling properties of the material must be taken into consideration.  
 Protect skin by using skin protective cream. Observe skin protection programme.  
 Apply skin care products after work.

**Skin protection**

With correct and proper use, and under normal conditions, not required.  
 Wear personal protection equipment.

**Respiratory protection**

With correct and proper use, and under normal conditions, breathing protection is not required. Respiratory protection necessary at: exceeding exposure limit values. Filtering device (full mask or mouthpiece) with filter: A-P2

**Environmental exposure controls**

No information available.

**SECTION 9: Physical and chemical properties**

**9.1. Information on basic physical and chemical properties**

Physical state:	liquid
Colour:	blue
Odour:	characteristic
pH-Value:	6,7

**Changes in the physical state**

Melting point:	not determined
Boiling point or initial boiling point and boiling range:	>78 °C
Flash point:	>12 °C

**Flammability**

Solid/liquid:	not applicable
Gas:	not applicable

**Explosive properties**

The product is not: Explosive. not explosive. In use, may form flammable/explosive vapour-air mixture.

Lower explosion limits:	3,5 vol. %
Upper explosion limits:	15 vol. %

**Self-ignition temperature**

Solid:	not applicable
Gas:	not applicable

Decomposition temperature: not determined

**Oxidizing properties**

The product is not: oxidising.

Vapour pressure: (at 20 °C) not determined

Density:	0,880 g/cm <sup>3</sup>
Bulk density:	not applicable
Water solubility:	easily soluble

**Solubility in other solvents**

not determined

Partition coefficient n-octanol/water: not determined

Relative vapour density: not determined

Evaporation rate: not determined

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**VELIND Defroster Nachfüllflasche**

Revision date: 10.06.2021

Product code: 31200

Page 8 of 14

**9.2. Other information**

Solid content: not determined

**SECTION 10: Stability and reactivity****10.1. Reactivity**

Mixture not tested. There are no data available on the preparation/mixture itself.

**10.2. Chemical stability**

Stable with proper storage and handling.

**10.3. Possibility of hazardous reactions**

No decomposition if used as intended

**10.4. Conditions to avoid**

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air. Refer to chapter 7.

Take precautionary measures against static discharges.

**10.5. Incompatible materials**

Refer to chapter 7.

Materials to avoid: Oxidizing agents.

**10.6. Hazardous decomposition products**

Refer to chapter 5.

No decomposition if used as intended

In case of fire may be liberated: Carbon monoxide. Carbon dioxide.

Thermal decomposition can lead to the escape of irritating gases and vapours.

**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****Toxicokinetics, metabolism and distribution**

Mixture not tested. There are no data available on the preparation/mixture itself.

**Acute toxicity**

Based on available data, the classification criteria are not met.

There are no data available on the mixture itself.



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### VELIND Defroster Nachfüllflasche

Revision date: 10.06.2021

Product code: 31200

Page 9 of 14

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
64-17-5	ethanol, ethyl alcohol				
	oral	LD50 >2000 mg/kg	Rat		
	dermal	LD50 >2000 mg/kg	Rabbit		
	inhalation (4 h) vapour	LC50 >20 mg/l	Rat		
107-21-1	ethanediol, ethylene glycol				
	oral	LD50 >2000 mg/kg	Rat		
	dermal	LD50 >2000 mg/kg	Mouse		
	inhalation (4 h) aerosol	LC50 >2,5 mg/l	Rat		
78-93-3	Butanone				
	oral	LD50 >2000 mg/kg	Rat		
	dermal	LD50 >2000 mg/kg	Rabbit		

#### Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

There are no data available on the mixture itself.

#### Sensitising effects

Based on available data, the classification criteria are not met.

There are no data available on the mixture itself.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

There are no data available on the mixture itself.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Repeated exposure may cause skin dryness or cracking.

There are no data available on the mixture itself.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Specific effects in experiment on an animal

There are no data available on the mixture itself.

#### Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP]. There are no data available on the mixture itself. No data available

#### Practical experience

The evaluation based on subjective human observations: May cause drowsiness or dizziness. Headache.

#### Further information

Mixture not tested. There are no data available on the preparation/mixture itself.

### SECTION 12: Ecological information

#### 12.1. Toxicity

Mixture not tested. There are no data available on the preparation/mixture itself.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**VELIND Defroster Nachfüllflasche**

Revision date: 10.06.2021

Product code: 31200

Page 10 of 14

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
64-17-5	ethanol, ethyl alcohol					
	Acute fish toxicity	LC50 >100 mg/l	96 h	Leuciscus idus (golden orfe)		
	Acute algae toxicity	ErC50 >100 mg/l	72 h	Chlorella vulgaris		
	Acute crustacea toxicity	EC50 >100 mg/l	48 h	Daphnia magna		
107-21-1	ethanediol, ethylene glycol					
	Acute fish toxicity	LC50 >100 mg/l	96 h	Oncorhynchus mykiss (Rainbow trout)		
	Acute algae toxicity	ErC50 >100 mg/l	96 h	Selenastrum capricornutum		
	Acute crustacea toxicity	EC50 >100 mg/l	48 h	Daphnia magna		
	Fish toxicity	NOEC 15380 mg/l	7 d	Pimephales promelas		
	Crustacea toxicity	NOEC 8590 mg/l	7 d	Ceriodaphnia spec		
78-93-3	Butanone					
	Acute fish toxicity	LC50 >100 mg/l	96 h	Pimephales promelas		
	Acute crustacea toxicity	EC50 >100 mg/l	48 h			

**12.2. Persistence and degradability**

The product has not been tested. No data available

**12.3. Bioaccumulative potential**

No data available

**Partition coefficient n-octanol/water**

CAS No	Chemical name	Log Pow
64-17-5	ethanol, ethyl alcohol	-0,32
107-21-1	ethanediol, ethylene glycol	-1,36

**BCF**

CAS No	Chemical name	BCF	Species	Source
64-17-5	ethanol, ethyl alcohol	0,66		

**12.4. Mobility in soil**

No data available

**12.5. Results of PBT and vPvB assessment**

No data available

**12.7. Other adverse effects**

No data available

**Further information**

Avoid release to the environment. Mixture not tested. There are no data available on the preparation/mixture itself.

**SECTION 13: Disposal considerations**
**13.1. Waste treatment methods**

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### VELIND Defroster Nachfüllflasche

Revision date: 10.06.2021

Product code: 31200

Page 11 of 14

#### Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation. The waste codes are recommendations based on the scheduled use of this products. Owing to the user's specific conditions for use and disposal, other waste codes may be allocated under certain circumstances.  
(2001/118/EC, 2001/119/EC, 2001/573/EC)

According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

#### List of Wastes Code - used product

160114 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; end-of-life vehicles from different means of transport (including off-road machinery) and wastes from dismantling of end-of-life vehicles and vehicle maintenance (except 13, 14, 16 06 and 16 08); antifreeze fluids containing hazardous substances; hazardous waste

#### List of Wastes Code - contaminated packaging

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); plastic packaging

#### Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled. Recommendation: Dispose of waste according to applicable legislation. E.g. Dispose of contents/container to industrial incineration plant. Or: Dispose of this material and its container to hazardous or special waste collection point.  
Do not empty into drains.

### SECTION 14: Transport information

#### Land transport (ADR/RID)

**14.1. UN number:** UN 1987  
**14.2. UN proper shipping name:** ALCOHOLS, N.O.S.  
**14.3. Transport hazard class(es):** 3  
**14.4. Packing group:** II  
 Hazard label: 3



Classification code: F1  
 Special Provisions: 274 601 640D  
 Limited quantity: 1 L  
 Excepted quantity: E2  
 Transport category: 2  
 Hazard No: 33  
 Tunnel restriction code: D/E

#### Inland waterways transport (ADN)

**14.1. UN number:** UN 1987  
**14.2. UN proper shipping name:** ALCOHOLS, N.O.S.  
**14.3. Transport hazard class(es):** 3  
**14.4. Packing group:** II  
 Hazard label: 3



Classification code: F1

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### VELIND Defroster Nachfüllflasche

Revision date: 10.06.2021

Product code: 31200

Page 12 of 14

Special Provisions: 274 601 640D  
 Limited quantity: 1 L  
 Excepted quantity: E2

#### Marine transport (IMDG)

**14.1. UN number:** UN 1987  
**14.2. UN proper shipping name:** ALCOHOLS, N.O.S.  
**14.3. Transport hazard class(es):** 3  
**14.4. Packing group:** II  
 Hazard label: 3



Special Provisions: 274  
 Limited quantity: 1 L  
 Excepted quantity: E2  
 EmS: F-E, S-D

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

#### 14.6. Special precautions for user

Warning: Combustible liquid.

#### 14.7. Maritime transport in bulk according to IMO instruments

No data available

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3

Information according to 2012/18/EU (SEVESO III): P5c FLAMMABLE LIQUIDS

##### Additional information

Labelling for contents according to regulation (EC) No 648/2004, annex 7: No.

##### National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water hazard class (D): 1 - slightly hazardous to water

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### SECTION 16: Other information

#### Changes

This data sheet contains changes from the previous version in section(s): 2,3,4,5,6,7,8,9,10,14,15,16.

These details refer to the products as it is delivered.

Follow the instructions for use on the label.

\* Data changed compared with the previous version

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### VELIND Defroster Nachfüllflasche

Revision date: 10.06.2021

Product code: 31200

Page 13 of 14

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

DNEL: Derived No Effect Level

DMEL: Derived Minimal Effect Level

PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate

LL50: Lethal loading, 50%

EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic

vPvB: very persistent, very bioaccumulative

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

EmS: Emergency Schedules

MFAG: Medical First Aid Guide

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container

VOC: Volatile Organic Compounds

SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at <http://abbrev.esdscom.eu>

#### Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Flam. Liq. 2; H225	On basis of test data
Eye Irrit. 2; H319	Calculation method

#### Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H373	May cause damage to organs through prolonged or repeated exposure.
EUH066	Repeated exposure may cause skin dryness or cracking.

#### Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### VELIND Defroster Nachfüllflasche

Revision date: 10.06.2021

Product code: 31200

Page 14 of 14

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*