according to Regulation (EC) No 1907/2006

VELIND Reinigungsbenzin

	00		
Revision date: 17.11.2023	Product code: 21	218	Page 1 of 1
SECTION 1: Identification of the	substance/mixture and of the co	mpany/undertaking	
1.1. Product identifier			
VELIND Reinigungsbenzin			
Further trade names			
Kohlenwasserstoffe, C6-C7, n-	Alkane, Isoalkane, Cycloalkane, <5%	n-Hexan	
UFI:	7PRV-C1YH-100A-9XXJ		
1.2. Relevant identified uses of the s	ubstance or mixture and uses advi	<u>sed against</u>	
Use of the substance/mixture			
Washing and cleaning products	3		
Uses advised against			
No information available.			
1.3. Details of the supplier of the saf	<u>ety data sheet</u>		
Company name:	VELIND Aerosol GmbH		
Street:	Passower Chaussee 111		
Place:	D-16303 Schwedt/O		
Telephone: e-mail:	+49 33 32 / 4 50 88 - 0	Telefax: +49 33 32 / 4 50 88	- 30
e-mail. Contact person:	info@velind.de Just	Telephone: 11	
e-mail:	qs@velind.de		
Internet:	www.velind.de		
Responsible Department:	QS		
1.4. Emergency telephone number:	GGIZ der Länder Mecklenburg-Vo Thüringen: +49 3 61 / 7 30 73 -0	rpommern, Sachsen, Sachsen-Anhalt und	ł

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Flam. Liq. 2; H225 Asp. Tox. 1; H304 Skin Irrit. 2; H315 STOT SE 3; H336 Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

Danger

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane

Signal word:

Pictograms:



Hazard statements

H225 H304 Highly flammable liquid and vapour. May be fatal if swallowed and enters airways.



according to Regulation (EC) No 1907/2006

VELIND Reinigungsbenzin

Revision date: 17.11.2023	Product code: 21218	Page 2 of 11
H315	Causes skin irritation.	
H336	May cause drowsiness or dizziness.	
H411	Toxic to aquatic life with long lasting effects.	
Precautionary stateme	nts	
P101	If medical advice is needed, have product container or label at hand.	
P102	Keep out of reach of children.	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.	
P331	Do NOT induce vomiting.	
P501	Dispose of contents/container to gemäß den lokalen/nationalen Vorschriften der	
	Abfallentsorgung.	
Additional advice on la		

Inhalation causes narcotic effects/intoxication. In use, may form flammable/explosive vapour-air mixture. Take precautionary measures against static discharges. Do not allow to enter into surface water or drains.

Labelling of packages where the contents do not exceed 125 ml

Signal word: Pictograms:



Hazard statements

H304-H336

Precautionary statements

P101-P102-P301+P310-P331-P501

2.3. Other hazards

In use, may form flammable/explosive vapour-air mixture. Inhalation causes narcotic effects/intoxication.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Solvents

Hazardous components

CAS No	Chemical name			Quantity	
	EC No	Index No	REACH No		
	Classification (Regulation (EC) No 1272/2008)				
64742-49-0	0 Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane			100 %	
	921-024-6	01-2119475514-35			
	Flam. Liq. 2, Skin Irrit. 2, STOT SE 3, Asp. Tox. 1, Aquatic Chronic 2; H225 H315 H336 H304 H411 EUH066				

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. L	imits, M-factors and ATE	
64742-49-0	921-024-6	Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane	100 %
	inhalation: LC5	0 = >20 mg/l (vapours); dermal: LD50 = >2000 mg/kg; oral: LD50 = >2000 mg/kg	

Labelling for contents according to Regulation (EC) No 648/2004

>= 30 % aliphatic hydrocarbons.



according to Regulation (EC) No 1907/2006

VELIND Reinigungsbenzin

Revision date: 17.11.2023

Product code: 21218

Page 3 of 11

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated, saturated clothing immediately. First aider: Pay attention to self-protection! Move victim out of danger zone.

After inhalation

Provide fresh air. Move victim out of danger zone. In all cases of doubt, or when symptoms persist, seek medical advice.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap.

After contact with eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

After ingestion

Rinse mouth thoroughly with water. Do NOT induce vomiting. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

The following symptoms may occur::

Intoxication. unconsciousness. Headache. drowsiness. vomiting. Dizziness.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. This information is not available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

alcohol resistant foam. Carbon dioxide (CO2). Water spray. dry extinguishing powder. Water fog. Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop. Vapours are heavier than air and will spread at floor level. Beware of reignition. Special exposure hazards arising from the substance itself, combustion products, resulting gases: Carbon monoxide Carbon dioxide.

5.3. Advice for firefighters

Special protective equipment for firefighters In case of fire: Wear self-contained breathing apparatus.

Additional information

Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Remove according to the regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Provide adequate ventilation. Wear personal protection equipment. Keep away from sources of ignition - No smoking.

6.2. Environmental precautions

Provide fresh air. Retain contaminated washing water and dispose it. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up



according to Regulation (EC) No 1907/2006

VELIND Reinigungsbenzin

Revision date: 17.11.2023

Product code: 21218

Page 4 of 11

Other information

Ventilate affected area. Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Collect in closed containers for disposal.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

See protective measures under point 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

When using do not eat, drink, smoke, sniff. Keep out of the reach of children. Read label before use. Observe in addition any national regulations!

Advice on protection against fire and explosion

Protect from sunlight. Store in a well-ventilated place. Keep only in the original container in a cool, well-ventilated place.

Advice on general occupational hygiene

When using do not eat, drink, smoke, sniff. Personal protection equipment. Contaminated work clothing should not be allowed out of the workplace. Technical ventilation of workplace.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep in a cool, well-ventilated place. Maximum storage temperature: 50°C Further information concerning storage conditions: The floor should be leak tight, jointless and not absorbent. Ensure adequate ventilation of the storage area.

Hints on joint storage

Keep away from: Oxidizing agents. strong alkalis. Strong acid.

Further information on storage conditions

Fire class: B

7.3. Specific end use(s)

Solvents

SECTION 8: Exposure controls/personal protection

8.1. Control parameters



according to Regulation (EC) No 1907/2006

VELIND Reinigungsbenzin

Revision date: 17.11.2023

Product code: 21218

Page 5 of 11

DNEL/DMEL values

CAS No	Substance					
DNEL type		Exposure route	Effect	Value		
64742-49-0	64742-49-0 Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane					
Consumer DNE	EL, long-term	oral	systemic	699 mg/kg bw/day		
Consumer DNEL, long-term		dermal	systemic	699 mg/kg bw/day		
Worker DNEL,	long-term	dermal	systemic	773 mg/kg bw/day		
Consumer DNEL, long-term		inhalation	systemic	609 mg/m³		
Worker DNEL,	long-term	inhalation	systemic	2035 mg/m³		

Additional advice on limit values

Take precautionary measures against static discharges. CAS No. : 64742-49-0 occupational exposure limit value: 1000 mg/m³

TRGS 900 Nr. 2,9, Hydrocarbons

8.2. Exposure controls











Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations. Exposure controls / Personal protection equipment

Individual protection measures, such as personal protective equipment

Eye/face protection

Recommendation: Wear eye/face protection.

Hand protection

Tested protective gloves are to be worn: The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Suitable material: NBR (Nitrile rubber). Butyl rubber.

Thickness of glove material: 0,7mm

Breakthrough times and swelling properties of the material must be taken into consideration.

Protect skin by using skin protective cream.

Apply skin care products after work.

Skin protection

Wear personal protection equipment.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required. Respiratory protection necessary at: exceeding exposure limit values. Filtering device (full mask or mouthpiece) with filter: A-P2

Environmental exposure controls

No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	colourless



according to Regulation (EC) No 1907/2006

VELIND Aerosol GmbH

evision date: 17.11.2023	Product code: 21218	Page 6 of 1
Odour:	characteristic	
Melting point/freezing point:	not determined	
Boiling point or initial boiling point and	80 - 110 °C	
boiling range:		
Flammability:	not applicable	
	not applicable	
Lower explosion limits:	1 vol. %	
Upper explosion limits:	8 vol. %	
Flash point:	< 0 °C	
Decomposition temperature:	not determined	
pH-Value:	not applicable	
Water solubility:	The study does not need to be conducted	
	because the substance is known to be	
	insoluble in water.	
Solubility in other solvents		
not determined		
Partition coefficient n-octanol/water:	not determined	
Vapour pressure:	not determined	
Density:	0,70 - 0,73 g/cm ³	
Bulk density:	not applicable	
Relative vapour density:	not determined	
2. Other information		
Information with regard to physical haza	rd classes	
Explosive properties		
	osive. In use, may form flammable/explosive vapour-air mixture.	
Self-ignition temperature		
Solid:	not applicable	
Gas:	not applicable	
Oxidizing properties		
Not oxidising.		
Other safety characteristics		
Evaporation rate:	not determined	
Solid content:	not determined	
ECTION 10: Stability and reactivity		

10.1. Reactivity

Mixture not tested. There are no data available on the preparation/mixture itself.

10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

Take precautionary measures against static discharges.

10.5. Incompatible materials

Materials to avoid: Oxidizing agents.

10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide. Carbon dioxide. Thermal decomposition can lead to the escape of irritating gases and vapours.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

according to Regulation (EC) No 1907/2006

VELIND Reinigungsbenzin

Revision date: 17.11.2023

Product code: 21218

Page 7 of 11

Toxicocinetics, metabolism and distribution

Mixture not tested. There are no data available on the preparation/mixture itself.

Acute toxicity

Based on available data, the classification criteria are not met.

There are no data available on the mixture itself.

CAS No	Chemical name					
	Exposure route	Dose	Species	Source	Method	
64742-49-0) Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane					
	oral	LD50 >2000 mg/kg	Rat			
	dermal	LD50 >2000 mg/kg	Rabbit			
	inhalation (4 h) vapour	LC50 >20 mg/l	Rat			

Irritation and corrosivity

Causes skin irritation.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met. There are no data available on the mixture itself.

Sensitising effects

Based on available data, the classification criteria are not met.

There are no data available on the mixture itself.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met. There are no data available on the mixture itself.

STOT-single exposure

May cause drowsiness or dizziness. (Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane)

STOT-repeated exposure

Based on available data, the classification criteria are not met.

There are no data available on the mixture itself.

Aspiration hazard

May be fatal if swallowed and enters airways.

Specific effects in experiment on an animal

There are no data available on the mixture itself.

Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP]. Special hazards arising from the substance or mixture! There are no data available on the mixture itself. No data available

Practical experience

: May cause drowsiness or dizziness. Headache.

11.2. Information on other hazards

Further information

Mixture not tested. There are no data available on the preparation/mixture itself.

SECTION 12: Ecological information

12.1. Toxicity

Toxic to aquatic life with long lasting effects. Mixture not tested. There are no data available on the preparation/mixture itself.



according to Regulation (EC) No 1907/2006 VELIND Reinigungsbenzin

Revision date: 17.11.2023

Product code: 21218

Page 8 of 11

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
64742-49-0	Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane						
	Acute fish toxicity	LC50	>1 mg/l		Oncorhynchus mykiss (Rainbow trout)		
	Acute algae toxicity	ErC50	>1 mg/l		Pseudokirchneriella subcapitata		
	Acute crustacea toxicity	EC50	>1 mg/l	48 h	Daphnia magna		

12.2. Persistence and degradability

Biologisch leicht abbaubar.

CAS No	Chemical name					
	Method	Value	d	Source		
	Evaluation					
64742-49-0	Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane					
	OECD Guideline 301 F	98%	28	ECHA		

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. No data available

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No data available

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Mixture not tested. There are no data available on the preparation/mixture itself.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

List of Wastes Code - used product

070104 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the manufacture, formulation, supply and use (MFSU) of basic organic chemicals; other organic solvents, washing liquids and mother liquors; hazardous waste

List of Wastes Code - contaminated packaging

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); plastic packaging

Contaminated packaging

Hazardous waste according to Directive 2008/98/EC (waste framework directive). Handle contaminated



according to Regulation (EC) No 1907/2006

VELIND Reinigungsbenzin

Revision date: 17.11.2023

Product code: 21218

Page 9 of 11

packages in the same way as the substance itself. Dispose of waste according to applicable legislation. Dispose of contents/container to industrial incineration plant. : Dispose of this material and its container to hazardous or special waste collection point. Do not empty into drains.

SECTION 14: Transport information

Land transport (ADR/RID) <u>14.1. UN number or ID number:</u> <u>14.2. UN proper shipping name:</u> <u>14.3. Transport hazard class(es):</u> <u>14.4. Packing group:</u> Hazard label:	UN 3295 HYDROCARBONS, LIQUID, N.O.S. 3 II 3
Classification code: Special Provisions: Limited quantity: Excepted quantity: Transport category: Hazard No: Tunnel restriction code:	F1 640D 1 L E2 2 33 D/E
Inland waterways transport (ADN) <u>14.1. UN number or ID number:</u> <u>14.2. UN proper shipping name:</u> <u>14.3. Transport hazard class(es):</u> <u>14.4. Packing group:</u> Hazard label:	UN 3295 HYDROCARBONS, LIQUID, N.O.S. 3 II 3
Classification code: Special Provisions: Limited quantity: Excepted quantity:	F1 640D 1 L E2
Marine transport (IMDG) <u>14.1. UN number or ID number:</u> <u>14.2. UN proper shipping name:</u> <u>14.3. Transport hazard class(es):</u> <u>14.4. Packing group:</u> Hazard label:	UN 3295 HYDROCARBONS, LIQUID, N.O.S. 3 II 3
Special Provisions: Limited quantity: Excepted quantity: EmS: 14.5. Environmental hazards	- 1 L E2 F-E, S-D



according to Regulation (EC) No 1907/2006

VELIND Reinigungsbenzin					
Revision date: 17.11.2023	Product code: 21218	Page 10 of 11			
ENVIRONMENTALLY HAZARDOUS:	Yes	¥2			
<u>14.6. Special precautions for user</u> Warning: Combustible liquid. <u>14.7. Maritime transport in bulk according to</u> No data available	o IMO instruments				
SECTION 15: Regulatory information					
15.1. Safety, health and environmental regu	ations/legislation specific for the substance or	mixture			
EU regulatory information					
Restrictions on use (REACH, annex XVII):					
Entry 3, Entry 40, Entry 75					
Information according to 2012/18/EU (SEVESO III):	E2 Hazardous to the Aquatic Environment				
Additional information:	P5c				
Additional information					
Regulation (EC) No. 648/2004 [Deterg 648/2004, annex 7:	ents regulation]. Labelling for contents according	to regulation (EC) No			
National regulatory information					
Employment restrictions:	Observe restrictions to employment for juvenile work protection guideline' (94/33/EC).	s according to the 'juvenile			
Water hazard class (D):	2 - obviously hazardous to water				
15.2. Chemical safety assessment					
Chemical safety assessments for substances in this mixture were not carried out.					
SECTION 16: Other information					

Changes

This data sheet contains changes from the previous version in section(s): 1,2. Follow the instructions for use on the label. * Data changed compared with the previous version.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50% CLP: Classification, labelling and Packaging REACH: Registration, Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals **UN: United Nations** DNEL: Derived No Effect Level DMEL: Derived Minimal Effect Level

according to Regulation (EC) No 1907/2006

VELIND Reinigungsbenzin

Revision date: 17.11.2023

Product code: 21218

Page 11 of 11

PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: verv persistent, verv bioaccumulative RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) EmS: Emergency Schedules MFAG: Medical First Aid Guide MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container VOC: Volatile Organic Compounds SVHC: Substance of Very High Concern @1602.B016012

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Flam. Liq. 2; H225	On basis of test data
Asp. Tox. 1; H304	Calculation method
Skin Irrit. 2; H315	Calculation method
STOT SE 3; H336	Calculation method
Aquatic Chronic 2; H411	Calculation method

Relevant H and EUH statements (number and full text)

Highly flammable liquid and vapour.
May be fatal if swallowed and enters airways.
Causes skin irritation.
May cause drowsiness or dizziness.
Toxic to aquatic life with long lasting effects.
Repeated exposure may cause skin dryness or cracking.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)