according to Regulation (EC) No 1907/2006

VELIND Hygienespray 50ml

Revision date: 17.05.2021

Product code: 32191

Page 1 of 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

VELIND Hygienespray 50ml

UFI:

GR4V-62TH-W00P-TW6G

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Product-type 2: Disinfectants and algaecides not intended for direct application to humans or animals

Uses advised against

No information available. Use(Usage) exclusively according to labelled intended purpose!

1.3. Details of the supplier of the safety data sheet

Company name:	VELIND Aerosol GmbH	
Street:	Passower Chaussee 111	
Place:	D-16303 Schwedt/O	
Telephone:	+49 33 32 / 4 50 88 - 0	Telefax: +49 33 32 / 4 50 88 - 30
e-mail:	info@velind.de	
Contact person:	Wallbaum	Telephone: 11
e-mail:	qs@velind.de	
Internet:	www.velind.de	
Responsible Department:	QS	
1.4. Emergency telephone	GGIZ der Länder Mecklenburg-Vo	rpommern, Sachsen, Sachsen-Anhalt und
Contact person: e-mail: Internet: Responsible Department:	Wallbaum qs@velind.de www.velind.de QS	

number:

Thüringen: +49 3 61 / 7 30 73 -0

Further Information

Notrufnummer der Gesellschaft: 07139/950 (Während der Geschäftszeiten von: Mo-Fr. 8.00 - 16.00 Uhr!)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories: Aerosol: Aerosol 1 Serious eye damage/eye irritation: Eye Irrit. 2 Hazard Statements: Extremely flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation.

2.2. Label elements

Pictograms:

Regulation (EC) No. 1272/2008

Signal word:

Danger



Hazard statements

H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.
H319	Causes serious eye irritation.



according to Regulation (EC) No 1907/2006

VELIND Hygienespray 50ml

Revision date: 17.05.2021

Product code: 32191

Page 2 of 13

Precautionary statements

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
abelling of package	es where the contents do not exceed 125 ml

La

Signal word:	
Pictograms:	



Hazard statements

H222-H229

Precautionary statements

P102-P103-P210-P211-P251-P410+P412

2.3. Other hazards

In use, may form flammable/explosive vapour-air mixture. Inhalation causes narcotic effects/intoxication.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Aerosol

Hazardous components

CAS No	Chemical name	Chemical name				
	EC No	Index No	REACH No			
	GHS Classification					
64-17-5	ethanol, ethyl alcohol					
	200-578-6	603-002-00-5	01-2119457610-43			
	Flam. Liq. 2, Eye Irrit. 2; H225 H319	9 EUH066				
106-99-0	1,3-butadiene, buta-1,3-diene			< 0.1 %		
	203-450-8					
	Flam. Gas 1, Carc. 1A, Muta. 1B; H220 H350 H340					

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity		
	Specific Conc.	Specific Conc. Limits, M-factors and ATE			
64-17-5	200-578-6	ethanol, ethyl alcohol	70 - < 75 %		
	inhalation: LC50 = >20 mg/l (vapours); dermal: LD50 = >2000 mg/kg; oral: LD50 = >2000 mg/kg Eve Irrit. 2; H319: >= 50 - 100				
106-99-0	203-450-8	1,3-butadiene, buta-1,3-diene	< 0.1 %		
	oral: LD50 = 5	480 mg/kg_Carc. 1A; H350: >= 0,1 - 100_Muta. 1B; H340: >= 0,1 - 100			

SECTION 4: First aid measures

4.1. Description of first aid measures



VELIND Hygienespray 50ml

Revision date: 17.05.2021

Product code: 32191

Page 3 of 13

General information

Remove contaminated, saturated clothing immediately. First aider: Pay attention to self-protection! Move victim out of danger zone.

After inhalation

Provide fresh air. Move victim out of danger zone. In all cases of doubt, or when symptoms persist, seek medical advice.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

Not applicable, because aerosol. If it does, consult a doctor immediately and show him box or label. Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink plenty of water.

4.2. Most important symptoms and effects, both acute and delayed

The following symptoms may occur::

Intoxication. unconsciousness. Headache. drowsiness. Dizziness. Depression of the central nervous system.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. This information is not available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

alcohol resistant foam. Carbon dioxide (CO2). Water spray. dry extinguishing powder. Water fog. Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop. Vapours are heavier than air and will spread at floor level. Beware of reignition. Contains gas under pressure; may explode if heated. (H280) Special exposure hazards arising from the substance itself, combustion products, resulting gases: Carbon monoxide Carbon dioxide.

5.3. Advice for firefighters

Special protective equipment for firefighters In case of fire: Wear self-contained breathing apparatus.

Additional information

Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Remove according to the regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures

Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Provide adequate ventilation. Wear personal protection equipment. Keep away from sources of ignition - No smoking.

6.2. Environmental precautions

Provide fresh air. Retain contaminated washing water and dispose it. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up



according to Regulation (EC) No 1907/2006

VELIND Hygienespray 50ml

Revision date: 17.05.2021

Product code: 32191

Page 4 of 13

Other information

Ventilate affected area. Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Collect in closed containers for disposal.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

See protective measures under point 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Keep out of the reach of children. Do not breathe gas/fumes/vapour/spray. Use only outdoors or in a well-ventilated area. If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means. When using do not eat, drink, smoke, sniff. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Read label before use. Observe in addition any national regulations!

Advice on protection against fire and explosion

Pressurised container: May burst if heated. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Take precautionary measures against static discharges.

Further information on handling

Do not pierce or burn, even after use.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep in a cool, well-ventilated place. Maximum storage temperature: 50°C Further information concerning storage conditions: The floor should be leak tight, jointless and not absorbent. Ensure adequate ventilation of the storage area.

Hints on joint storage

Keep away from: Oxidizing agents. strong alkalis. Strong acid.

Further information on storage conditions

Fire class: C

7.3. Specific end use(s)

Product-type 2: Disinfectants and algaecides not intended for direct application to humans or animals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters



VELIND Hygienespray 50ml

Revision date: 17.05.2021

Product code: 32191

Page 5 of 13

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
128-37-0	2,6-Di-tert-butyl-p-cresol	-	10		TWA (8 h)	WEL
106-99-0	Buta-1,3-diene	1	2.2		TWA (8 h)	WEL
106-97-8	Butane	600	1450		TWA (8 h)	WEL
		750	1810		STEL (15 min)	WEL
84-66-2	Diethyl phthalate	-	5		TWA (8 h)	WEL
		-	10		STEL (15 min)	WEL
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL
57-55-6	Propane-1,2-diol, particulates	-	10		TWA (8 h)	WEL

DNEL/DMEL values

CAS No	Substance						
DNEL type		Exposure route	Effect	Value			
64-17-5	ethanol, ethyl alcohol						
Worker DNE	L, acute	inhalation	local	1900 mg/m³			
Worker DNE	L, long-term	inhalation	systemic	950 mg/m³			
Worker DNE	L, long-term	dermal	systemic	343 mg/kg bw/day			
Consumer D	NEL, acute	inhalation	local	950 mg/m³			
Consumer D	NEL, long-term	inhalation	systemic	114 mg/m ³			
Consumer D	NEL, long-term	oral	systemic	87 mg/kg bw/day			
Consumer D	NEL, long-term	dermal	systemic	206 mg/kg bw/day			
57-55-6	propan-1,2-diol						
Worker DNE	L, long-term	inhalation	systemic	268 mg/m ³			
Worker DNE	L, long-term	inhalation	local	10 mg/m ³			
Consumer DNEL, long-term		dermal	systemic	213 mg/kg bw/day			
Consumer DNEL, long-term		inhalation	systemic	50 mg/m³			
Consumer D	NEL, long-term	oral	systemic	85 mg/kg bw/day			
Consumer D	NEL, long-term	inhalation	local	10 mg/m ³			



VELIND Hygienespray 50ml

Revision date: 17.05.2021

Product code: 32191

Page 6 of 13

PNEC values

CAS No	Substance					
Environmen	tal compartment	Value				
64-17-5	ethanol, ethyl alcohol					
Freshwater		0,96 mg/l				
Marine wate	r	0,79 mg/l				
Freshwater	sediment	3,6 mg/l				
Marine sedi	ment	2,9 mg/l				
Micro-organ	580 mg/l					
Soil		0,63 mg/kg				
57-55-6	propan-1,2-diol					
Freshwater		260 mg/l				
Marine wate	r	26 mg/l				
Freshwater	sediment	572 mg/kg				
Marine sedi	ment	57,2 mg/kg				
Micro-organ	isms in sewage treatment plants (STP)	20000 mg/l				
Soil	Soil					

8.2. Exposure controls









Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations. Exposure controls / Personal protection equipment

Protective and hygiene measures

When using do not eat, drink, smoke, sniff. Personal protection equipment. Contaminated work clothing should not be allowed out of the workplace. Technical ventilation of workplace.

Eye/face protection

With correct and proper use, and under normal conditions, not required. Recommendation: Wear eye/face protection.

Hand protection

Tested protective gloves are to be worn: The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Suitable material: NBR (Nitrile rubber). Butyl rubber. Observe Glove plan!

Thickness of glove material: 0,7 mm

Breakthrough times and swelling properties of the material must be taken into consideration.

Protect skin by using skin protective cream. Observe skin protection programme.

Apply skin care products after work.

Skin protection

With correct and proper use, and under normal conditions, not required.

Wear personal protection equipment.

Wear anti-static footwear and clothing . .

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required. Respiratory

Revision date: 17.05.2021

Page 7 of 13

according to Regulation (EC) No 1907/2006

VELIND Hygienespray 50ml Product code: 32191

protection necessary at: exceeding ex A-P2	xposure limit values. Filtering device (full mask or mouthpiece) with filter:	
Environmental exposure controls No information available.		
SECTION 9: Physical and chemical pro	operties	
9.1. Information on basic physical and che	mical properties	
Physical state:	Aerosol, Active component: liquid	
Colour:	colourless	
Odour:	characteristic	
pH-Value:	7	
Changes in the physical state		
Melting point:	not determined	
Boiling point or initial boiling point and	Active component: >78 °C	
boiling range:		
Flash point:	Active component: >12 °C	
Flammability		
Solid/liquid:	not applicable	
Gas:	not applicable	
Explosive properties		
Heating may cause an explosion. not	explosive. In use, may form flammable/explosive vapour-air mixture.	
Lower explosion limits:	1,5 vol. %	
Upper explosion limits:	15 vol. %	
Self-ignition temperature		
Solid:	not applicable	
Gas:	not applicable	
Decomposition temperature:	not determined	
Oxidizing properties		
Not oxidising.		
Density:	0,85 (Active component) g/cm ³	
Water solubility:	easily soluble	
Solubility in other solvents not determined		
Relative vapour density:	not determined	
Evaporation rate:	not determined	
9.2. Other information		
Solid content:	not determined	
SECTION 10: Stability and reactivity		

SECTION 10: Stability and reactivity

10.1. Reactivity

Extremely flammable aerosol. Pressurized container: May burst if heated. The product has not been tested.

10.2. Chemical stability

Stable with proper storage and handling.

10.3. Possibility of hazardous reactions

No decomposition if used as intended



according to Regulation (EC) No 1907/2006

VELIND Hygienespray 50ml

Revision date: 17.05.2021

Product code: 32191

Page 8 of 13

10.4. Conditions to avoid

Refer to chapter 7.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source.

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Do not pierce or burn, even after use.

10.5. Incompatible materials

Refer to chapter 7.

Materials to avoid: Oxidizing agents.

10.6. Hazardous decomposition products

Refer to chapter 5.

No decomposition if used as intended

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

Mixture not tested. There are no data available on the preparation/mixture itself.

Acute toxicity

Based on available data, the classification criteria are not met. There are no data available on the mixture itself.

CAS No	Chemical name	Chemical name								
	Exposure route	Dose		Species	Source	Method				
64-17-5	ethanol, ethyl alcohol	ethanol, ethyl alcohol								
	oral	LD50 mg/kg	>2000	Rat						
	dermal	LD50 mg/kg	>2000	Rabbit						
	inhalation (4 h) vapour	LC50	>20 mg/l	Rat						
106-99-0	1,3-butadiene, buta-1,3-c	liene								
	oral	LD50 mg/kg	5480	Rat						

Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met. There are no data available on the mixture itself.

Sensitising effects

Based on available data, the classification criteria are not met. There are no data available on the mixture itself.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met. There are no data available on the mixture itself. 1

STOT-single exposure

Based on available data, the classification criteria are not met. There are no data available on the mixture itself. No data available

STOT-repeated exposure

Based on available data, the classification criteria are not met. There are no data available on the mixture itself.

according to Regulation (EC) No 1907/2006

VELIND Hygienespray 50ml

Revision date: 17.05.2021

Product code: 32191

Page 9 of 13

Aspiration hazard

Based on available data, the classification criteria are not met. There are no data available on the mixture itself. No data available

Specific effects in experiment on an animal

There are no data available on the mixture itself.

Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP]. There are no data available on the mixture itself. No data available

Practical experience

The evaluation based on subjective human observations: May cause drowsiness or dizziness. Headache. Can cause frostbite.

Further information

Mixture not tested. There are no data available on the preparation/mixture itself.

SECTION 12: Ecological information

12.1. Toxicity

Mixture not tested. There are no data available on the preparation/mixture itself.

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method	
64-17-5	ethanol, ethyl alcohol							
	Acute fish toxicity	LC50 mg/l	>100		Leuciscus idus (golden orfe)			
	Acute algae toxicity	ErC50 mg/l	>100	72 h	Chlorella vulgaris			
	Acute crustacea toxicity	EC50 mg/l	>100	48 h	Daphnia magna			

12.2. Persistence and degradability

The product has not been tested. No data available

12.3. Bioaccumulative potential

No data available

Partition coefficient n-octanol/water

	·	-
64-17-5	ethanol, ethyl alcohol	-0,32
CAS No	Chemical name	Log Pow

|--|--|

CAS No	Chemical name	BCF	Species	Source
64-17-5	ethanol, ethyl alcohol	0,66		

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

No data available

12.7. Other adverse effects

No data available

Further information

Avoid release to the environment. Mixture not tested. There are no data available on the preparation/mixture itself.

SECTION 13: Disposal considerations



VELIND Hygienespray 50ml

Revision date: 17.05.2021

Product code: 32191

Page 10 of 13

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation. The waste codes are recommendations based on the scheduled use of this products. Owing to the user's specific conditions for use and disposal, other waste codes may be allocated under certain circumstances. (2001/118/EC, 2001/119/EC, 2001/573/EC)

According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

List of Wastes Code - used product

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

List of Wastes Code - contaminated packaging

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; gases in pressure containers (including halons) containing hazardous substances; hazardous waste

Contaminated packaging

Completely emptied packages can be recycled. Recommendation: Dispose of waste according to applicable legislation. E.g. Dispose of contents/container to industrial incineration plant. Or: Dispose of this material and its container to hazardous or special waste collection point. Do not empty into drains.

SECTION 14: Transport information

Land transport (ADR/RID)

<u>14.1. UN number:</u>	UN 1950
14.2. UN proper shipping name:	AEROSOLS
14.3. Transport hazard class(es):	2
14.4. Packing group:	-
Hazard label:	2.1
Classification code:	5F
Special Provisions:	190 327 344 625
Limited quantity:	1 L
Excepted quantity:	E0
Transport category:	2
Tunnel restriction code:	D
Inland waterways transport (ADN)	
<u>14.1. UN number:</u>	UN 1950
14.2. UN proper shipping name:	AEROSOLS
14.3. Transport hazard class(es):	2
14.4. Packing group:	-
Hazard label:	2.1
Classification code:	5F
Special Provisions:	190 327 344 625
Limited quantity:	1 L



according to Regulation (EC) No 1907/2006

	VELIND Hygienespray 50ml	
Revision date: 17.05.2021	Product code: 32191	Page 11 of 13
Excepted quantity:	E0	
Marine transport (IMDG)		
<u>14.1. UN number:</u>	UN 1950	
14.2. UN proper shipping name:	AEROSOLS	
14.3. Transport hazard class(es):	2.1	
14.4. Packing group:	-	
Hazard label:	2.1	
Special Provisions:	63, 190, 277, 327, 344, 381, 959	
Limited quantity:	1000 mL	
Excepted quantity: EmS:	E0	
14.5. Environmental hazards	F-D, S-U	
ENVIRONMENTALLY HAZARDOUS:	Νο	
14.6. Special precautions for user		
No data available Other applicable information Minimum amount regulations: < 1 litre		
SECTION 15: Regulatory information		
15.1. Safety, health and environmental regulation	ations/legislation specific for the substance or mixture	
EU regulatory information Restrictions on use (REACH, annex XVII): Entry 3, Entry 29 Information according to 2012/18/EU (SEVESO III):	P3a FLAMMABLE AEROSOLS	
Additional information		
Aerosol directive (75/324/EEC).		
National regulatory information		
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juve work protection guideline' (94/33/EC).	nile
Water hazard class (D):	1 - slightly hazardous to water	
Biocide registry number:	BAUA-Nr.: 86850	
15.2. Chemical safety assessment		
	ances in this mixture were not carried out.	
SECTION 16: Other information		

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,2,3,4,5,6,7,8,9,10,12,13,14,15,16. These details refer to the products as it is delivered.

Follow the instructions for use on the label.

* Data changed compared with the previous version

VELIND Hygienespray 50ml

Revision date: 17.05.2021

Product code: 32191

Page 12 of 13

Abbreviations and acronyms ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration. 50% LD50: Lethal dose, 50% CLP: Classification, labelling and Packaging REACH: Registration, Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals UN: United Nations **DNEL: Derived No Effect Level** DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOFC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) EmS: Emergency Schedules MFAG: Medical First Aid Guide ICAO: International Civil Aviation Organization MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container VOC: Volatile Organic Compounds SVHC: Substance of Very High Concern For abbreviations and acronyms, see table at http://abbrev.esdscom.eu Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Aerosol 1; H222-H229	On basis of test data
Eye Irrit. 2; H319	Bridging principle "Aerosols"

Relevant H and EUH statements (number and full text)

H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H225	Highly flammable liquid and vapour.
H229	Pressurised container: May burst if heated.
H319	Causes serious eye irritation.
H340	May cause genetic defects.
H350	May cause cancer.
EUH066	Repeated exposure may cause skin dryness or cracking.

according to Regulation (EC) No 1907/2006

VELIND Hygienespray 50ml

Revision date: 17.05.2021

Product code: 32191

Page 13 of 13

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)